

TITLE V: PUBLIC WORKS

Contents

CHAPTER 50:	
GARBAGE AND REFUSE	3
§50.01 REFUSE REQUIRED TO BE DEPOSITED IN APPROVED CONTAINERS.	3
§50.02 BURNING OR BURYING GARBAGE AND REFUSE; PERMIT REQUIRED.	3
§50.03 ACCUMULATION OF GARBAGE AND REFUSE PROHIBITED.	3
§50.04 CONTAINERS REQUIRED; SPECIFICATIONS.	3
§50.05 PRE-COLLECTION PRACTICES; REQUIREMENTS.	3

CHAPTER 50: GARBAGE AND REFUSE

§50.01 REFUSE REQUIRED TO BE DE-POSITED IN APPROVED CONTAINERS.

It shall be unlawful for any person to throw, place, or deposit any garbage or refuse of any kind on any public or private property except in approved containers or as otherwise provided in this chapter.

Penalty, see §10.99

§50.02 BURNING OR BURYING GARBAGE AND REFUSE; PERMIT REQUIRED.

(A) It shall be unlawful to burn or set fire to or bury any garbage for the purpose of disposal.

(B) In addition. it shall be unlawful to bury any refuse for the purpose of disposal unless a permit therefor has been granted by the Town Clerk.

Penalty, see §10.99

§50.03 ACCUMULATION OF GARBAGE AND REFUSE PROHIBITED.

All garbage and refuse shall be collected and placed in containers as required by this chapter, and it shall be unlawful for any person to permit garbage or refuse to accumulate or remain on any premises longer than is reasonably necessary to remove and deposit same in approved containers as required herein.

Penalty, see §10.99

§50.04 CONTAINERS REQUIRED; SPECIFICATIONS.

The occupant of every building or premises where garbage and refuse does or may exist shall provide containers made of substantial galvanized, iron, plastic, rubber, or other non-rusting material in which shall be deposited all garbage and refuse existing at that building or premises. Each container shall be provided with handles or bails and with a tight fitting cover made of the same material as the container. All containers shall be watertight and they shall be of a size that can be conveniently handled by the collectors, and no container shall be more than 30 gallons in capacity and measure not over 22 inches in diameter nor 30 inches in height. All containers shall be kept in a reasonably clean condition

Penalty, see §10.99

§50.05 PRE-COLLECTION PRACTICES; REQUIREMENTS.

(A) All garbage and refuse shall have the liquid drained therefrom and shall be wrapped in paper or other like material before it is placed in the container for collection. Ashes and cinders shall be placed in a separate container provided for that purpose, and no ashes shall be deposited in any container until they are cold.

(B) Containers which fail to have a cover as required in §50.04 above or which become rusted or broken and therefore are unable to contain garbage and refuse in a satisfactory manner shall not be

used.

Penalty, see §10.99